


WINDING SIDE CONN. A

- 2) 10GA RED
- 2) 10GA BLACK
- 1) 10GA GRN/YEL
- 3) 16GA RED
- 3) 16GA BLACK

CONN. 24 FT
WIRES 27 FT.




CONDUIT A - WINDING SIDE CONDUIT B - BOXING SIDE

BOXING SIDE CONN. B

- 1) 10GA BROWN
- 1) 10GA ORANGE OR BLUE
- 1) 10GA GRN/YEL
- 1) 12GA RED
- 1) 12GA BLACK
- 3) 16GA RED
- 1) 16GA GREY
- 1) 16GA WHITE

CONN. 32 FT
WIRES 49 FT.




NOTES:

- PULL "CORD-PATCH/10" THRU BLANK CONN. SPACES.

REVISIONS		
REV	DESCRIPTION	BY/DATE
A	RELEASE	KP-6/23/17
B	ADD F8-F11 SAFETY RELAY WIRE INFO & NOTE 1 (ECO R-0623)	MK/KP-5/1/19

BUTTON BOX TO BOXING SIDE CONN. F

CONN. 24 FT
CABLES 30 FT.



THE MATERIAL CONTAINED HEREIN IS PROPRIETARY TO REELEX PKG SOL'S, INC. AND SHALL NOT BE REPRODUCED, DISCLOSED OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN APPROVAL OF REELEX PKG SOL'S, INC.		39 JON BARRETT RD PATTERSON, NY 12563 T: 845.878.7878 F: 845.878.7884 WWW.REELEX.COM	
THIRD ANGLE PROJECTION		DIAG, CONDUIT- A/B & CONN. F	
SIZE C	PART/DWG NO. 50605	REV. B	
FILENAME: N:\MECHDWGS\DWGS\50605	SCALE -	DRAWN KP DATE 6/23/17	SHEET 1 OF 1